

Package: sparsevar (via r-universe)

October 10, 2024

Version 0.1.0

Date 2021-04-16

Title Sparse VAR/VECM Models Estimation

Maintainer Simone Vazzoler <svazzole@gmail.com>

Imports Matrix, ncvreg, parallel, doParallel, glmnet, ggplot2,
reshape2, grid, mvtnorm, picasso, corpcor,

Suggests knitr, rmarkdown, testthat,

Depends R (>= 3.5.0)

Description A wrapper for sparse VAR/VECM time series models estimation using penalties like ENET (Elastic Net), SCAD (Smoothly Clipped Absolute Deviation) and MCP (Minimax Concave Penalty). Based on the work of Sumanta Basu and George Michailidis <doi:10.1214/15-AOS1315>.

License GPL-2

URL <http://github.com/svazzole/sparsevar>

BugReports <http://github.com/svazzole/sparsevar>

VignetteBuilder knitr

RoxygenNote 7.1.1

Encoding UTF-8

Repository <https://svazzole.r-universe.dev>

RemoteUrl <https://github.com/svazzole/sparsevar>

RemoteRef HEAD

RemoteSha 2fbaf6080aff0c36e72f9407613223a9794087e9

Contents

accuracy	2
bootstrappedVAR	3
checkImpulseZero	3

checkIsVar	4
companionVAR	4
computeForecasts	4
createSparseMatrix	5
decomposePi	6
errorBandsIRF	6
fitVAR	7
fitVARX	8
fitVECM	9
frobNorm	9
impulseResponse	10
informCrit	10
l1norm	11
l2norm	11
lInftyNorm	11
maxNorm	12
mcSimulations	12
multiplot	13
plotIRF	14
plotIRFGrid	14
plotMatrix	15
plotVAR	15
plotVECM	16
simulateVAR	16
simulateVARX	17
sparsevar	18
spectralNorm	18
spectralRadius	18
testGranger	19
transformData	19
varENET	20
varMCP	20
varSCAD	21

Index **22**

accuracy	<i>Accuracy metric</i>
----------	------------------------

Description

Compute the accuracy of a fit

Usage

accuracy(referenceM, A)

Arguments

referenceM	the matrix to use as reference
A	the matrix obtained from a fit

bootstrappedVAR	<i>Bootstrap VAR</i>
-----------------	----------------------

Description

Build the bootstrapped series from the original var

Usage

```
bootstrappedVAR(v)
```

Arguments

v	the VAR object as from fitVAR or simulateVAR
---	--

checkImpulseZero	<i>Check Impulse Zero</i>
------------------	---------------------------

Description

A function to find which entries of the impulse response function are zero.

Usage

```
checkImpulseZero(irf)
```

Arguments

irf	irf output from impulseResponse function
-----	--

Value

a matrix containing the indices of the impulse response function that are 0.

checkIsVar	<i>Check is var</i>
------------	---------------------

Description

Check if the input is a var object

Usage

```
checkIsVar(v)
```

Arguments

v	the object to test
---	--------------------

companionVAR	<i>Companion VAR</i>
--------------	----------------------

Description

Build the VAR(1) representation of a VAR(p) process

Usage

```
companionVAR(v)
```

Arguments

v	the VAR object as from fitVAR or simulateVAR
---	--

computeForecasts	<i>Computes forecasts for VARs</i>
------------------	------------------------------------

Description

This function computes forecasts for a given VAR.

Usage

```
computeForecasts(v, num_steps)
```

Arguments

v	a VAR object as from fitVAR.
num_steps	the number of forecasts to produce.

createSparseMatrix *Create Sparse Matrix*

Description

Creates a sparse square matrix with a given sparsity and distribution.

Usage

```
createSparseMatrix(  
  N,  
  sparsity,  
  method = "normal",  
  stationary = FALSE,  
  p = 1,  
  ...  
)
```

Arguments

N	the dimension of the square matrix
sparsity	the density of non zero elements
method	the method used to generate the entries of the matrix. Possible values are "normal" (default) or "bimodal".
stationary	should the spectral radius of the matrix be smaller than 1? Possible values are TRUE or FALSE. Default is FALSE.
p	normalization constant (used for VAR of order greater than 1, default = 1)
...	other options for the matrix (you can specify the mean <code>mu_mat</code> and the standard deviation <code>sd_mat</code>).

Value

An NxN sparse matrix.

Examples

```
M <- createSparseMatrix(  
  N = 30, sparsity = 0.05, method = "normal",  
  stationary = TRUE  
)
```

decomposePi	<i>Decompose Pi VECM matrix</i>
-------------	---------------------------------

Description

A function to estimate a (possibly big) multivariate VECM time series using penalized least squares methods, such as ENET, SCAD or MC+.

Usage

```
decomposePi(vecm, rk, ...)
```

Arguments

vecm	the VECM object
rk	rank
...	options for the function (TODO: specify)

Value

alpha
beta

errorBandsIRF	<i>Error bands for IRF</i>
---------------	----------------------------

Description

A function to estimate the confidence intervals for irf and oirf.

Usage

```
errorBandsIRF(v, irf, alpha, M, resampling, ...)
```

Arguments

v	a var object as from fitVAR or simulateVAR
irf	irf output from impulseResponse function
alpha	level of confidence (default alpha = 0.01)
M	number of bootstrapped series (default M = 100)
resampling	type of resampling: "bootstrap" or "jackknife"
...	some options for the estimation: verbose = TRUE or FALSE, mode = "fast" or "slow", threshold = TRUE or FALSE.

Value

a matrix containing the indices of the impulse response function that are 0.

fitVAR	<i>Multivariate VAR estimation</i>
--------	------------------------------------

Description

A function to estimate a (possibly high-dimensional) multivariate VAR time series using penalized least squares methods, such as ENET, SCAD or MCP+.

Usage

```
fitVAR(data, p = 1, penalty = "ENET", method = "cv", ...)
```

Arguments

data	the data from the time series: variables in columns and observations in rows
p	order of the VAR model
penalty	the penalty function to use. Possible values are "ENET", "SCAD" or "MCP"
method	possible values are "cv" or "timeSlice"
...	the options for the estimation. Global options are: threshold: if TRUE all the entries smaller than the oracle threshold are set to zero; scale: scale the data (default = FALSE)? nFolds: the number of folds used for cross validation (default = 10); parallel: if TRUE use multicore backend (default = FALSE); ncores: if parallel is TRUE, specify the number of cores to use for parallel evaluation. Options for ENET estimation: alpha: the value of alpha to use in elastic net (0 is Ridge regression, 1 is LASSO (default)); type.measure: the measure to use for error evaluation ("mse" or "mae"); nlambda: the number of lambdas to use in the cross validation (default = 100); leaveOut: in the time slice validation leave out the last leaveOutLast observations (default = 15); horizon: the horizon to use for estimating mse/mae (default = 1); picasso: use picasso package for estimation (only available for penalty = "SCAD" and method = "timeSlice").

Value

A the list (of length p) of the estimated matrices of the process

fit the results of the penalized LS estimation

mse the mean square error of the cross validation

time elapsed time for the estimation

residuals the time series of the residuals

fitVARX

*Multivariate VARX estimation***Description**

A function to estimate a (possibly high-dimensional) multivariate VARX time series using penalized least squares methods, such as ENET, SCAD or MCP+.

Usage

```
fitVARX(data, p = 1, Xt, m = 1, penalty = "ENET", method = "cv", ...)
```

Arguments

<code>data</code>	the data from the time series: variables in columns and observations in rows
<code>p</code>	order of the VAR model
<code>Xt</code>	the exogenous variables
<code>m</code>	order of the exogenous variables
<code>penalty</code>	the penalty function to use. Possible values are "ENET", "SCAD" or "MCP"
<code>method</code>	possible values are "cv" or "timeSlice"
<code>...</code>	the options for the estimation. Global options are: <code>threshold</code> : if TRUE all the entries smaller than the oracle threshold are set to zero; <code>scale</code> : scale the data (default = FALSE)? <code>nfolds</code> : the number of folds used for cross validation (default = 10); <code>parallel</code> : if TRUE use multicore backend (default = FALSE); <code>ncores</code> : if <code>parallel</code> is TRUE, specify the number of cores to use for parallel evaluation. Options for ENET estimation: <code>alpha</code> : the value of alpha to use in elastic net (0 is Ridge regression, 1 is LASSO (default)); <code>type.measure</code> : the measure to use for error evaluation ("mse" or "mae"); <code>nlambda</code> : the number of lambdas to use in the cross validation (default = 100); <code>leaveOut</code> : in the time slice validation leave out the last <code>leaveOutLast</code> observations (default = 15); <code>horizon</code> : the horizon to use for estimating mse/mae (default = 1); <code>picasso</code> : use picasso package for estimation (only available for <code>penalty = "SCAD"</code> and <code>method = "timeSlice"</code>).

Value

A the list (of length `p`) of the estimated matrices of the process

`fit` the results of the penalized LS estimation

`mse` the mean square error of the cross validation

`time` elapsed time for the estimation

`residuals` the time series of the residuals

fitVECM	<i>Multivariate VECM estimation</i>
---------	-------------------------------------

Description

A function to estimate a (possibly big) multivariate VECM time series using penalized least squares methods, such as ENET, SCAD or MC+.

Usage

```
fitVECM(data, p, penalty, method, logScale, ...)
```

Arguments

data	the data from the time series: variables in columns and observations in rows
p	order of the VECM model
penalty	the penalty function to use. Possible values are "ENET", "SCAD" or "MCP"
method	"cv" or "timeSlice"
logScale	should the function consider the log of the inputs? By default this is set to TRUE
...	options for the function (TODO: specify)

Value

Pi the matrix P_i for the VECM model
 G the list (of length $p-1$) of the estimated matrices of the process
 fit the results of the penalized LS estimation
 mse the mean square error of the cross validation
 time elapsed time for the estimation

frobNorm	<i>Frobenius norm of a matrix</i>
----------	-----------------------------------

Description

Compute the Froebenius norm of M

Usage

```
frobNorm(M)
```

Arguments

M	the matrix (real or complex valued)
---	-------------------------------------

impulseResponse	<i>Impulse Response Function</i>
-----------------	----------------------------------

Description

A function to estimate the Impulse Response Function of a given VAR.

Usage

```
impulseResponse(v, len = 20)
```

Arguments

v	the data in the for of a VAR
len	length of the impulse response function

Value

irf a 3d array containing the impulse response function.

informCrit	<i>Computes information criteria for VARs</i>
------------	---

Description

This function computes information criterias (AIC, Schwartz and Hannan-Quinn) for VARs.

Usage

```
informCrit(v)
```

Arguments

v	a list of VAR objects as from fitVAR.
---	---------------------------------------

11norm	<i>L1 matrix norm</i>
--------	-----------------------

Description

Compute the L1 matrix norm of M

Usage

11norm(M)

Arguments

M the matrix (real or complex valued)

12norm	<i>L2 matrix norm</i>
--------	-----------------------

Description

Compute the L2 matrix norm of M

Usage

12norm(M)

Arguments

M the matrix (real or complex valued)

1InfTyNorm	<i>L-infinity matrix norm</i>
------------	-------------------------------

Description

Compute the L-infinity matrix norm of M

Usage

1InfTyNorm(M)

Arguments

M the matrix (real or complex valued)

maxNorm	<i>Max-norm of a matrix</i>
---------	-----------------------------

Description

Compute the max-norm of M

Usage

```
maxNorm(M)
```

Arguments

M	the matrix (real or complex valued)
---	-------------------------------------

mcSimulations	<i>Monte Carlo simulations</i>
---------------	--------------------------------

Description

This function generates monte carlo simultaions of sparse VAR and its estimation (at the moment only for VAR(1) processes).

Usage

```
mcSimulations(
  N,
  nobs = 250,
  nMC = 100,
  rho = 0.5,
  sparsity = 0.05,
  penalty = "ENET",
  covariance = "Toeplitz",
  method = "normal",
  modelSel = "cv",
  ...
)
```

Arguments

N	dimension of the multivariate time series.
nobs	number of observations to be generated.
nMC	number of Monte Carlo simulations.
rho	base value for the covariance.

sparsity	density of non zero entries of the VAR matrices.
penalty	penalty function to use for LS estimation. Possible values are "ENET", "SCAD" or "MCP".
covariance	type of covariance matrix to be used in the generation of the sparse VAR model.
method	which type of distribution to use in the generation of the entries of the matrices.
modelSel	select which model selection criteria to use ("cv" or "timeslice").
...	(TODO: complete)

Value

a nMx5 matrix with the results of the Monte Carlo estimation

multiplot *Multiplots with ggplot*

Description

Multiple plot function. ggplot objects can be passed in ..., or to plotlist (as a list of ggplot objects)

Usage

```
multiplot(..., plotlist = NULL, cols = 1, layout = NULL)
```

Arguments

...	a sequence of ggplots to be plotted in the grid.
plotlist	a list containing ggplots as elements.
cols	number of columns in layout
layout	a matrix specifying the layout. If present, 'cols' is ignored. If the layout is something like matrix(c(1,2,3,3), nrow=2, byrow=TRUE), then plot 1 will go in the upper left, 2 will go in the upper right, and 3 will go all the way across the bottom. Taken from R Cookbook

Value

A ggplot containing the plots passed as arguments

plotIRF	<i>IRF plot</i>
---------	-----------------

Description

Plot a IRF object

Usage

```
plotIRF(irf, eb, i, j, type, bands)
```

Arguments

irf	the irf object to plot
eb	the errorbands to plot
i	the first index
j	the second index
type	type = "irf" or type = "oirf"
bands	"quantiles" or "sd"

Value

An image plot relative to the impulse response function.

plotIRFGrid	<i>IRF grid plot</i>
-------------	----------------------

Description

Plot a IRF grid object

Usage

```
plotIRFGrid(irf, eb, indexes, type, bands)
```

Arguments

irf	the irf object computed using impulseResponse
eb	the error bands estimated using errorBands
indexes	a vector containing the indeces that you want to plot
type	plot the irf (type = "irf" by default) or the orthogonal irf (type = "oirf")
bands	which type of bands to plot ("quantiles" (default) or "sd")

Value

An image plot relative to the impulse response function.

plotMatrix	<i>Matrix plot</i>
------------	--------------------

Description

Plot a sparse matrix

Usage

```
plotMatrix(M, colors)
```

Arguments

M	the matrix to plot
colors	dark or light

Value

An image plot with a particular color palette (black zero entries, red for the negative ones and green for the positive)

plotVAR	<i>Plot VARs</i>
---------	------------------

Description

Plot all the matrices of a VAR model

Usage

```
plotVAR(..., colors)
```

Arguments

...	a sequence of VAR objects (one or more than one, as from <code>simulateVAR</code> or <code>fitVAR</code>)
colors	the gradient used to plot the matrix. It can be "light" (low = red – mid = white – high = blue) or "dark" (low = red – mid = black – high = green)

Value

An image plot with a specific color palette

plotVECM	<i>Plot VECMs</i>
----------	-------------------

Description

Plot all the matrices of a VECM model

Usage

```
plotVECM(v)
```

Arguments

v a VECM object (as from fitVECM)

Value

An image plot with a specific color palette (black zero entries, red for the negative ones and green for the positive)

simulateVAR	<i>VAR simulation</i>
-------------	-----------------------

Description

This function generates a simulated multivariate VAR time series.

Usage

```
simulateVAR(N, p, nobs, rho, sparsity, mu, method, covariance, ...)
```

Arguments

N	dimension of the time series.
p	number of lags of the VAR model.
nobs	number of observations to be generated.
rho	base value for the covariance matrix.
sparsity	density (in percentage) of the number of nonzero elements of the VAR matrices.
mu	a vector containing the mean of the simulated process.
method	which method to use to generate the VAR matrix. Possible values are "normal" or "bimodal".
covariance	type of covariance matrix to use in the simulation. Possible values: "toeplitz", "block1", "block2" or simply "diagonal".
...	the options for the simulation. These are: muMat: the mean of the entries of the VAR matrices; sdMat: the sd of the entries of the matrices;

Value

A a list of NxN matrices ordered by lag

data a list with two elements: series the multivariate time series and noises the time series of errors

S the variance/covariance matrix of the process

simulateVARX	<i>VARX simulation</i>
--------------	------------------------

Description

This function generates a simulated multivariate VAR time series.

Usage

```
simulateVARX(N, K, p, m, nobs, rho,
             sparsityA1, sparsityA2, sparsityA3,
             mu, method, covariance, ...)
```

Arguments

N	dimension of the time series.
K	TODO
p	number of lags of the VAR model.
m	TODO
nobs	number of observations to be generated.
rho	base value for the covariance matrix.
sparsityA1	density (in percentage) of the number of nonzero elements of the A1 block.
sparsityA2	density (in percentage) of the number of nonzero elements of the A2 block.
sparsityA3	density (in percentage) of the number of nonzero elements of the A3 block.
mu	a vector containing the mean of the simulated process.
method	which method to use to generate the VAR matrix. Possible values are "normal" or "bimodal".
covariance	type of covariance matrix to use in the simulation. Possible values: "toeplitz", "block1", "block2" or simply "diagonal".
...	the options for the simulation. These are: muMat: the mean of the entries of the VAR matrices; sdMat: the sd of the entries of the matrices;

Value

A a list of NxN matrices ordered by lag

data a list with two elements: series the multivariate time series and noises the time series of errors

S the variance/covariance matrix of the process

sparsevar	<i>sparsevar: A package to estimate multivariate time series models (such as VAR and VECM), under the sparsity hypothesis.</i>
-----------	--

Description

It performs the estimation of the matrices of the models using penalized least squares methods such as LASSO, SCAD and MCP.

sparsevar functions

fitVAR, fitVECM, simulateVAR, createSparseMatrix, plotMatrix, plotVAR, plotVECM l2norm, l1norm, l1InftyNorm, maxNorm, frobNorm, spectralRadius, spectralNorm, impulseResponse

spectralNorm	<i>Spectral norm</i>
--------------	----------------------

Description

Compute the spectral norm of M

Usage

spectralNorm(M)

Arguments

M	the matrix (real or complex valued)
---	-------------------------------------

spectralRadius	<i>Spectral radius</i>
----------------	------------------------

Description

Compute the spectral radius of M

Usage

spectralRadius(M)

Arguments

M	the matrix (real or complex valued)
---	-------------------------------------

testGranger	<i>Test for Ganger Causality</i>
-------------	----------------------------------

Description

This function should retain only the coefficients of the matrices of the VAR that are statistically significant (from the bootstrap)

Usage

```
testGranger(v, eb)
```

Arguments

v	the VAR object as from fitVAR or simulateVAR
eb	the error bands as obtained from errorBands

transformData	<i>Transorm data</i>
---------------	----------------------

Description

Transform the input data

Usage

```
transformData(data, p, opt)
```

Arguments

data	the data
p	the order of the VAR
opt	a list containing the options

`varENET`*VAR ENET*

Description

Estimate VAR using ENET penalty

Usage

```
varENET(data, p, lambdas, opt)
```

Arguments

<code>data</code>	the data
<code>p</code>	the order of the VAR
<code>lambdas</code>	a vector containing the lambdas to be used in the fit
<code>opt</code>	a list containing the options

`varMCP`*VAR MCP*

Description

Estimate VAR using MCP penalty

Usage

```
varMCP(data, p, lambdas, opt)
```

Arguments

<code>data</code>	the data
<code>p</code>	the order of the VAR
<code>lambdas</code>	a vector containing the lambdas to be used in the fit
<code>opt</code>	a list containing the options

varSCAD	<i>VAR SCAD</i>
---------	-----------------

Description

Estimate VAR using SCAD penalty

Usage

```
varSCAD(data, p, lambdas, opt, penalty)
```

Arguments

data	the data
p	the order of the VAR
lambdas	a vector containing the lambdas to be used in the fit
opt	a list containing the options
penalty	a string "SCAD" or something else

Index

accuracy, 2

bootstrappedVAR, 3

checkImpulseZero, 3
checkIsVar, 4
companionVAR, 4
computeForecasts, 4
createSparseMatrix, 5

decomposePi, 6

errorBandsIRF, 6

fitVAR, 7
fitVARX, 8
fitVECM, 9
frobNorm, 9

impulseResponse, 10
informCrit, 10

l1norm, 11
l2norm, 11
lInftyNorm, 11

maxNorm, 12
mcSimulations, 12
multiplot, 13

plotIRF, 14
plotIRFGrid, 14
plotMatrix, 15
plotVAR, 15
plotVECM, 16

simulateVAR, 16
simulateVARX, 17
sparsevar, 18
spectralNorm, 18
spectralRadius, 18

testGranger, 19
transformData, 19

varENET, 20
varMCP, 20
varSCAD, 21